

Felix de Fries c/o Study Group AIDS-Therapy

Juliastr. 8 8032 Zürich (Switzerland)

Felix.defries@gmail.com

<https://www.immunity.org.uk/articles/felix-de-fries/>

To those affected, their medical doctors and caretakers

To Groups and institutions

To Media

Zürich, the 12th May

ref. Increased case numbers of Long Covid and Post Covid after mRNA booster vaccinations and rapid disappearance of their effectiveness against new virus variants

As the following works, which were published in well-known scientific journals, may show you, mRNA vaccines against SARS-Cov-2 trigger short-term and long-term inflammatory reactions, which can cause persistent disorders and previously non-existent diseases in various groups of vaccinated people. The risk of such disorders, which can occur after the second or third booster vaccination, obviously increases significantly after each booster vaccination. Its effectiveness against new virus variants, against which they are supposed to protect us, decreases after a short time, while the risk of contracting Covid-19 increases.

[HTML] [COVID-19 mRNA vaccines: the molecular basis of some adverse events](#)

[HTML] [mdpi.com](#)

[PDF] [Increased Age-Adjusted Cancer Mortality After the Third mRNA-Lipid Nanoparticle Vaccine Dose During the COVID-19 Pandemic in Japan](#)

[PDF] [cureus.com](#)

Effectiveness of the 2023-2024 Formulation of the Coronavirus Disease 2019 mRNA Vaccine against the JN. 1 Variant

[PDF\] medrxiv.org](#)

As various authors note, a distinction can be made between persistent inflammatory reactions caused by SARS-Cov-2 and by mRNA COVID-19 vaccines, with both the effect of the mRNA and that of the lipid nanoparticles in which they are packaged, being the cause of persistent inflammatory reactions is put up now for discussion. Persistent inflammatory reactions, which are known to be the drivers for the severe course of Covid-19, for post-Covid or for Long Covid can therefore be either the result of the virus from the laboratory into which a furin cleavage site was installed, as well as of the mRNA vaccines developed against this virus.

[HTML] Self-DNA driven inflammation in COVID-19 and after mRNA-based vaccination: lessons for non-COVID-19 pathologies

[HTML\] frontiersin.org](#)

As stated in this article, there are great similarities between the so-called Hi-Retrovirus, which were considered to be the cause of the AIDS syndrome, and of SARS-Cov-2.

In 2018, we presented in an overview with a literature list what we do not believe that the postulated Hi-Retrovirus could be the cause of the severe course of over 30 endemic diseases that define the AIDS-syndrome if the test result is positive.

http://www.ummafrapp.de/skandal/felix/zero/AIDS_at_viral_load_zero.pdf

http://www.ummafrapp.de/skandal/felix/zero/studies_and_links.pdf

Despite the so-called side effects, mRNA vaccines which their manufacturers are currently trying to develop at a rapid pace should soon be used against a wide variety of infectious diseases and various forms of cancer. The WHO, which is under the influence of the Bill and Melinda Gates Foundation, who is investing a lot of money in the development of new mRNA vaccines, wants to support their fast approval by means of new, internationally valid regulations.

HTML] mRNA vaccines in disease prevention and treatment

[HTML\] nature.comFull View](#)

After we in Switzerland were practically forced to take the mRNA vaccines from Biontech-Pfizer and Moderna because other vaccines had not received an emergency approval and were only available at the very end after their approval by the European institutions, by collecting signatures from voters a referendum will be held to anchor the free choice of therapy and prevention in the constitution and to prevent compulsory vaccinations, even in emergency situations. This is intended to make it impossible here that unvaccinated people can be excluded from visiting restaurants and events and are only allowed to visit relatives in the hospital if they can present a freshly carried out, 48-hour valid negative test, for which they have to pay themselves.

The fact that pharmaceutical companies-independent basic research on mitochondrial functioning was not possible in Switzerland and other European countries for decades could only be explained by the political opportunity principle, which obviously continues to be a determining factor in the behavior of political actors.

<https://www.immunity.org.uk/wp-content/uploads/2024/04/Mitochondriopathy-by-the-virus-from-the-laboratory-and-the-vaccines-against-it.pdf>

We discussed how therapy could be used to treat post-Covid and long-Covid in our latest document.

<https://www.immunity.org.uk/wp-content/uploads/2024/04/Mitochondriopathy-by-the-virus-from-the-laboratory-and-the-vaccines-against-it.pdf>

Study Group AIDS-Therapy

Felix de Fries